



17 August 2021

Gabriel del Campo
VP Data Center
Cirion Technologies
Coronel Francisco Uzal 4260
Olivos, Buenos Aires
Argentina

Re: Tier III Certification of Design Documents for the Cirion Technologies Perú S.A. – Lima
Datacenter DC-3 and DC-4 in Lima, Perú

Dear Gabriel del Campo,

Uptime Institute Professional Services is pleased to extend the Tier Certification of Design Documents for the mutually dependent Cirion Technologies Perú S.A. – Lima Datacenter DC-3 and DC-4 as fulfilling Tier III Concurrently Maintainable criteria. This Certification is based upon the design documentation submitted between 29 December 2020 and 1 July 2021.

This Certification supersedes the Tier III Certification of Design Documents for CenturyLink Perú S.A. – Lima Datacenter DC-3 and DC-4 with 17 August 2023 expiry.

This Certification recognizes the Cirion Technologies Perú S.A. – Lima Datacenter DC-3 and DC-4 design as supporting any planned work on the site infrastructure without disrupting operations, as limited by the stated IT capacity of 330 kilowatts (kW) in Data Hall DC-3 and 468 kW in Data Hall DC-4.

Tier III Concurrently Maintainable criteria are founded on the capability to complete planned facility maintenance or modifications on a scheduled basis; equipment failures or distribution path faults may lead to unplanned outages. Certain operator errors, such as procedural errors during reconfiguration of the redundant computer room or site infrastructure equipment, may also impact the critical load.

This Tier Certification is based on the 100% design documents as submitted for review and makes no assurances as to the constructed environment. This Tier Certification is valid until the design is modified, including any changes to the capacity components or distribution paths depicted in the design identified above and submitted for review. This Certification is subject to the limitations set forth in Schedule I, attached hereto and incorporated herein.

The Tier III Certification of Design Documents award is valid until 30 April 2024, subject to the limitations and extension request process set forth in the attached Schedule I.

Congratulations on this achievement.

Sincerely,

Christopher Brown
Chief Technical Officer